

## SAMPEI OUTDOOR

Floor lamp in fiberglass and metal with adjustable spotlight.

Design by: Enzo Calabrese & Davide Groppi, 2011

### DETAILS.

#### FINISHES AVAILABLE IN:

MATT BLACK

MATT WHITE

SIZE: 153" H X Ø17.7" BASE

8.4W LED 3000K 639 LM

\* AVAILABLE IN 2700K.

MAX 700MA DC

CABLE LENGTH: 216" (5.5M)

IP65 – EXTERIOR RATED

LED DRIVER REQUIRED - INPUT 100-240V

NOT DIMMABLE

UL LISTED




**II PL**

PLUGLIGHTING.COM  
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE  
STE 108 LOS ANGELES 90038

P. 323 467 5635  
F. 323 467 5634

SAMPEI OUTDOOR





II P L

PLUGLIGHTING.COM  
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE  
STE 108 LOS ANGELES 90038

P. 323 467 5635  
F. 323 467 5634

SAMPEI OUTDOOR



**IIPL**

PLUGLIGHTING.COM  
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE  
STE 108 LOS ANGELES 90038

P. 323 467 5635  
F. 323 467 5634

# SAMPEI OUTDOOR




Compasso d'Oro ADI  
Award 2014

DESIGN ENZO CALABRESE - DAVIDE GRÖPPI - 2011  
OUTDOOR LAMP - FIBERGLASS - METAL



IP65

The sizes are expressed in millimeters / inches.



1A3770303.27.20	MATT WHITE - 2700K	MAX 700 mA DC - 8,4 W LED
1A3770303.30.20	MATT WHITE - 3000K	2700K - 639 lm - CRI > 90 / 3000K - 639 lm - CRI > 90
1A3770403.27.20	MATT BLACK - 2700K	BLACK CABLE 5,5 m / 216.53" - ADJUSTABLE
1A3770403.30.20	MATT BLACK - 3000K	DRIVER NOT INCLUDED

#### COMPULSORY INSTALLATION KIT

1Z1120100	STANDARD	DRIVER INPUT 100-240 V - 50/60 Hz - OUTPUT 700 mA DC - 21 W - IP67 NOT DIMMABLE
-----------	----------	---

# IIPL

PLUGLIGHTING.COM  
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE  
STE 108 LOS ANGELES 90038

P. 323 467 5635  
F. 323 467 5634

SAMPEI 440 OUTDOOR