



BAUHAUS HMB 25

Original Bauhaus suspension lamp with or without adjustability. Also available without counterweight and pulley, please specify. Available in two sizes: HMB25/300 or HMB25/500. Each fixture is consecutively numbered and bears logo.

Design by: Marianne Brandt & Hans Przyrembel, 1925

DETAILS.

**PULLEY AND COUNTERWEIGHT FINISH AVAILABLE IN:
POLISHED NICKEL-PLATED ALUMINUM**

HMB 25/300 (WITH PULLEY/COUNTERWEIGHT):

OVERALL SIZE: Ø11.8" X 102"H

CANOPY: Ø3"

PENDANT LENGTH: 13FT

WEIGHT: 12 LBS

HMB 25/300 (WITHOUT PULLEY/COUNTERWEIGHT):

OVERALL SIZE: Ø11.8" X 102"H

CANOPY: Ø3"

PENDANT LENGTH: 8.2FT

WEIGHT: 3.7 LBS

HMB 25/500 (WITH PULLEY/COUNTERWEIGHT):

OVERALL SIZE: Ø19.7" X 102"H

CANOPY: Ø3"

PENDANT LENGTH: 13FT

WEIGHT: 8.6 LBS

HMB 25/500 (WITHOUT PULLEY/COUNTERWEIGHT):

OVERALL SIZE: Ø19.7" X 102"H

CANOPY: Ø3"

PENDANT LENGTH: 8.2FT

WEIGHT: 2.7 LBS

RECOMMENDED BULB:

1 X 8W E27 LED DIMMABLE, IP 20

BAUHAUS HMB 25



IIPL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634

BAUHAUS HMB 25

Bauhaus und Designklassiker 1910 – 1940

Bauhaus-Pendelleuchte
Bauhaus pendant lamp



HMB 25/500 Z Ni



HMB 25/300 Z Ni

HMB 25/500 ...	Design Design	Marianne Brandt und Hans Przyrembel, 1925
	Zeichen Logo	Jede Leuchte ist fortlaufend nummeriert und trägt dieses Zeichen Each lamp is consecutively numbered and bears this logo
	Leuchtmittel Bulbs	max. Leistung (thermisch): AGL100 W max. performance (thermal): 100 W Empfohlenes Leuchtmittel: LED Lampe 8 W, matt Recommended bulb: LED bulb 8 W, mat
	HMB 25/500 Z Ni	Leuchte mit Rollenzug. Aluminium poliert und vernickelt With pulley and counterweight. Aluminium polished and nickel plated
	HMB 25/500 Ni	Ohne Rollenzug. Aluminium poliert und vernickelt Without pulley and counterweight. Aluminium polished and nickel plated

HMB 25/300 ...	Design Design	Marianne Brandt und Hans Przyrembel, 1925
	Zeichen Logo	Jede Leuchte ist fortlaufend nummeriert und trägt dieses Zeichen Each lamp is consecutively numbered and bears this logo
	Leuchtmittel Bulbs	max. Leistung (thermisch): AGL100 W max. performance (thermal): 100 W Empfohlenes Leuchtmittel: LED Lampe 8 W, matt Recommended bulb: LED bulb 8 W, mat
	HMB 25/300 Z Ni	Leuchte mit Rollenzug. Aluminium poliert und vernickelt With pulley and counterweight. Aluminium polished and nickel plated
	HMB 25/300 Ni	Ohne Rollenzug. Aluminium poliert und vernickelt Without pulley and counterweight. Aluminium polished and nickel plated

II P L

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634