



BRASS PENDANT

Cylindrical fixture that is mounted on a minimal backplate. The cylinder also hides the light source to achieve a dark light effect with a standard or retrofit lamp. Its elegant suspension makes the luminaire more of an object. Patinated brass has a timeless aspect, it shows the material in its depth which can not be obtained with coated materials.

Design by: Hans Verstuylft

DETAILS.

FINISHES AVAILABLE IN:

N-BRASS BRUSHED NATURAL

P-BRASS BRUSHED PATINE

G-BRASS BRUSHED GUNMETAL BRONZE

* POWDERCOATED (RAL COLOR) FINISHES ALSO AVAILABLE

- MINIMUM OF FIVE (5) QUANTITY REQUIRED.

PLEASE CALL SHOWROOM FOR PRICING.

SHADE SIZE: Ø2.3" X 5" H

STANDARD ROSE: Ø2.3" (DOES NOT COVER US J-BOX.)

US SCREWED ROSE: Ø4 ¼"

*CUSTOM LENGTHS AVAILABLE UP TO 39" (1M).


GU5,3: MAX 50W 12V, IP20 – UL SOCKET

*TRANSFORMER REQUIRED.

GU10: MAX 50W 110-240V, IP20

(OPTIONAL: RETROFIT 5W LED SPOT 120V)

BRASS PENDANT










II P L

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM


5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634






Spot On



Spot On
angled ceilings

extra hinge
avail. (not incl)



Spot On
Surface Mounted



Spot On screwed
rose 1ø8mm
US J-box



N: Brass naturel



P: Brass patine



G: Brass gunmetal bronze



PC: powder coated, from 10
pieces on
price PC=P + startup color
cost on request



Spot On
Long stem max 1m



GU5,3 / 12V
max. 50W
IP20 - CE
socket UL



GU10 / 110-240V
max. 50W
IP20 - CE