

MISS

Metal suspension lamp featuring slim and essential task light. Available in 2 application types. Miss 2, installation on plasterboard with flat rose and magnetic fixing – compulsory installation kit required.

Design by: Omar Carraglia, 2006

DETAILS.

FINISHES AVAILABLE IN:

MATT WHITE/WHITE CABLE/WHITE CEILING ROSE

MATT BLACK/WHITE CABLE/WHITE CEILING ROSE

BRUSHED BRASS/BLACK CABLE/BLACK CEILING ROSE

MATT TOTAL BLACK/BLACK CABLE/BLACK CEILING ROSE

MISS 1: Ø1" X 29.5"; 118" OAH

CANOPY: Ø5.3" W X 1.6" H

120V - 5.6W LED 3000K, 310 LM

*AVAILABLE IN 2700K.

**STANDARD NOT DIMMABLE; DIMMABLE VERSION AVAILABLE.

MISS 2: Ø1" X 29.5"; 118" OAH

COVERPLATE: 5.1" W X 5.1" D X 0.27" H


MAX 350MA DC - 4W LED 3000K, 310 LM

*AVAILABLE IN 2700K.

NOT DIMMABLE

UL LISTED

MISS







II P L

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634

MISS







II PL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634

MISS




IIPL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634

MISS



The sizes are expressed in millimeters / inches.


DESIGN OMAR CARRAGLIA - 2006
SUSPENSION LAMP - METAL



MISS T

IE ENDLESS SYSTEM VERSION AVAILABLE

CEILING ROSE



1A2960303.27.00	MATT WHITE - 2700K - ON/OFF	120 V - 60 Hz - 5,6 W LED
1A2960303.30.00	MATT WHITE - 3000K - ON/OFF	2700K - 290 lm - CRI > 90 / 3000K - 310 lm - CRI > 90 WHITE CEILING ROSE - WHITE CABLE
1A2960403.27.00	MATT BLACK - 2700K - ON/OFF	
1A2960403.30.00	MATT BLACK - 3000K - ON/OFF	
1A2960803.27.00	BRUSHED BRASS - 2700K - ON/OFF	120 V - 60 Hz - 5,6 W LED
1A2960803.30.00	BRUSHED BRASS - 3000K - ON/OFF	2700K - 290 lm - CRI > 90 / 3000K - 310 lm - CRI > 90 BLACK CEILING ROSE - BLACK CABLE
1A2962603.27.00	MATT TOTAL BLACK - 2700K - ON/OFF	
1A2962603.30.00	MATT TOTAL BLACK - 3000K - ON/OFF	



II P L

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634

MISS



DIMMABLE VERSIONS

1A2960303.27.01	MATT WHITE - 2700K - DALI	120 V - 60 Hz - 5,6 W LED 2700K - 290 lm - CRI > 90 / 3000K - 310 lm - CRI > 90 WHITE CEILING ROSE - WHITE CABLE
1A2960303.30.01	MATT WHITE - 3000K - DALI	
1A2960303.27.03	MATT WHITE - 2700K - 1-10 V	
1A2960303.30.03	MATT WHITE - 3000K - 1-10 V	
1A2960303.27.04	MATT WHITE - 2700K - PUSH	
1A2960303.30.04	MATT WHITE - 3000K - PUSH	
1A2960403.27.01	MATT BLACK - 2700K - DALI	
1A2960403.30.01	MATT BLACK - 3000K - DALI	
1A2960403.27.03	MATT BLACK - 2700K - 1-10 V	
1A2960403.30.03	MATT BLACK - 3000K - 1-10 V	
1A2960403.27.04	MATT BLACK - 2700K - PUSH	
1A2960403.30.04	MATT BLACK - 3000K - PUSH	
1A2960803.27.01	BRUSHED BRASS - 2700K - DALI	120 V - 60 Hz - 5,6 W LED 2700K - 290 lm - CRI > 90 / 3000K - 310 lm - CRI > 90 BLACK CEILING ROSE - BLACK CABLE
1A2960803.30.01	BRUSHED BRASS - 3000K - DALI	
1A2960803.27.03	BRUSHED BRASS - 2700K - 1-10 V	
1A2960803.30.03	BRUSHED BRASS - 3000K - 1-10 V	
1A2960803.27.04	BRUSHED BRASS - 2700K - PUSH	
1A2960803.30.04	BRUSHED BRASS - 3000K - PUSH	
1A2962603.27.01	MATT TOTAL BLACK - 2700K - DALI	
1A2962603.30.01	MATT TOTAL BLACK - 3000K - DALI	
1A2962603.27.03	MATT TOTAL BLACK - 2700K - 1-10 V	
1A2962603.30.03	MATT TOTAL BLACK - 3000K - 1-10 V	
1A2962603.27.04	MATT TOTAL BLACK - 2700K - PUSH	
1A2962603.30.04	MATT TOTAL BLACK - 3000K - PUSH	

MISS 1

IIPL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634

MISS





The sizes are expressed in millimeters / inches.

DESIGN OMAR CARRAGLIA - 2006
SUSPENSION LAMP - METAL



MISS 2

CEILING ROSE



1A2970303.27.00	MATT WHITE - 2700K - ON/OFF	MAX 350 mA DC - 4 W LED 2700K - 290 lm - CRI > 90 / 3000K - 310 lm - CRI > 90
1A2970303.30.00	MATT WHITE - 3000K - ON/OFF	WHITE CEILING ROSE - WHITE CABLE
1A2970403.27.00	MATT BLACK - 2700K - ON/OFF	INSTALLATION ON PLASTERBOARD WITH FLAT ROSE AND MAGNETIC FIXING COMPULSORY INSTALLATION KIT INCLUDED
1A2970403.30.00	MATT BLACK - 3000K - ON/OFF	PLASTERBOARD CUT-OUT 85 x 97 mm / 3.34" x 3.81" - MINIMUM SPACE FOR MOUNTING 120 mm / 4.72" INCLUDES INDEPENDENT DRIVER INPUT 100-240 V - 50/60 Hz
1A2970803.27.00	BRUSHED BRASS - 2700K - ON/OFF	MAX 350 mA DC - 4 W LED 2700K - 290 lm - CRI > 90 / 3000K - 310 lm - CRI > 90
1A2970803.30.00	BRUSHED BRASS - 3000K - ON/OFF	BLACK CEILING ROSE - BLACK CABLE
1A2972603.27.00	MATT TOTAL BLACK - 2700K - ON/OFF	INSTALLATION ON PLASTERBOARD WITH FLAT ROSE AND MAGNETIC FIXING COMPULSORY INSTALLATION KIT INCLUDED
1A2972603.30.00	MATT TOTAL BLACK - 3000K - ON/OFF	PLASTERBOARD CUT-OUT 85 x 97 mm / 3.34" x 3.81" - MINIMUM SPACE FOR MOUNTING 120 mm / 4.72" INCLUDES INDEPENDENT DRIVER INPUT 100-240 V - 50/60 Hz

IIPL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634