



AUSTERE-W

Solid brass wall lamp with elongated stem and low profile shade.
Available as wall plug or remote built-in - adjustable 170°.

Design by: Hans Verstuyft

DETAILS.

FINISHES AVAILABLE IN:

HV.WA.1002: BLACK

HV.WA.1003: BRASS

HV.WA.1001: WHITE

HV.WA.1004: GUNMETAL

MATERIAL FINISH: BRASS

LIGHT ELEMENT: Ø1.6" X 2" H

OVERALL SIZE: 47" H X 16" W

CENTER WALL MOUNT: 4.7" H X 1" W X 2" D

1 X 6.2W LED ARRAY (INCLUDED) 110V

2700K, 600 LM, 93 CRI

REMOTE DRIVER: 1-10V DIMMABLE, 110-230V

DRIVER ON PLUG WITH PUSH BUTTON DIMMER ON CABLE




CABLE LENGTH: 118"

IP40 – FOR INDOOR USE

AUSTERE-W



AUSTERE-W






II P L

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634

AUSTERE-W




II P L

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM


5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634



AUSTERE-Wall built-in

Design by Hans Verstuyft



AUSTERE-Wall Plug

Design by Hans Verstuyft

Material

brass

Finish

black - brass - white - gunmetal

Lightsource

1 x LED array (included) 6,2W
warm white : 2700K - 600lm - CRI >90

Connection

350mA - driver required

Specifications

indoor
wall mounting
class II
IP40

Material

brass

Finish

black - brass - white - gunmetal

Lightsource

1 x LED array (included) 6,2W
warm white : 2700K - 600lm - CRI >90

Connection

230V - driver on plug

Specifications

indoor
wall mounting
class II
IP40

