

ULTRA TW HP

Interior wall mounted sconce with up and downlight emission.

DETAILS. FINISH: WHITE

SIZE: Ø3 5/16" X 4 9/16" H X 4 1/16" D 40W MAX G9 120V

DOES NOT COVER US J-BOX. *MUDKIT OR COVERPLATE AVAILABLE.

IP20 - SUITABLE FOR DRY/DAMP LOCATIONS. ETL LISTED


*OTHER VOLTAGES OR DIMMING OPTIONS AVAILABLE.



PLUGLIGHTING.COM

PLUGLIGHTING.COM 5665 MELROSE AVENUE INFO@PLUGLIGHTING.COM STE 108 LOS ANGELES 90038

ULTRA TW HP















PLUGLIGHTING.COM INFO@PLUGLIGHTING.COM 5665 MELROSE AVENUE STE 108 LOS ANGELES 90038

ULTRA TW HP



II P L


PLUGLIGHTING.COM INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE STE 108 LOS ANGELES 90038

Installation instruction

ULTRA TW HP� 6 279 51 40 🛇

◇= W





Application Wall surface mounted Installation to a standard 4" octagonal box with optional coverplate or Mud kit installation For indoor use only

Color Finish W - White

Light source

1 x G9 (T4) max. 40W

Product description

Powder coated aluminum base Input voltage: 120V / 60Hz Lampholder: G9 Suitable for dry or damp location Protected against solid objects greater than 12 mm \Rightarrow IP20 Weight: 0,7lbs 0,3kg

Options (not supplied) MUD KIT 5 A / W

COVERPLATE S 105

6 207 02 05 A / W 6 204 99 105





II P L

PLUGLIGHTING.COM INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE STE 108 LOS ANGELES 90038