



## VISION

Vision is delineated by its parabolic light pattern on the wall. This fixture thanks its powerful light effect to the combination of LED technology in combination with a lens, giving its unique design. Dimming available upon request.

### DETAILS.

#### FINISHES AVAILABLE IN:

WHITE

WHITE-CHROMED

SIZE: 1 11/16" H X 5" W X 5" D

4W 224 LM 61 LM/W

CRI 80 120V

#### COLOR TEMPS AVAILABLE:

2700K OR 3000K

DIMMABLE REMOTE LED POWER SUPPLY EXCLUDED – 350-500MA DC  
DOES NOT COVER US J-BOX.



\*MUDKIT AVAILABLE.

IP20 – SUITABLE FOR DRY/DAMP LOCATIONS.



ETL LISTED


\*OTHER VOLTAGES OR DIMMING OPTIONS AVAILABLE.

# VISION



# VISION





CLASS 2

CRI > 80

VISION LED

3000 K

2 x LED 1.1W / 120lm / 350mA  
2 x LED 1.6W / 168lm / 500mA

6 278 25 22 ◊  
◊ = W / W-C

2700 K

2 x LED 1.1W / 120lm / 350mA  
2 x LED 1.6W / 168lm / 500mA

6 278 25 23 ◊  
◊ = W / W-C

EXCLED POWER SUPPLY 350-500mA-DC  
CLASS 2 CIRCUITS ONLY

IP20 DAMP

FULL INFO TECHNICAL CHAPTER



OPTIONS

INSTALLATION



MUD KIT 1  
6 207 02 01

4"-1/16 x 4"-1/16 x 1/2"



**Application**  
Wall surface  
For indoor use only

**Color Finish**  
B - Black  
W - White

**Light Source**  
Two LED white included 1,1-1,6W

**Delivered Lumens**  
224lm at 2700K at 500mA  
235lm at 3000K at 500mA

**Power Supply**  
Electronic power supply, not included.  
350-500mA current controlled required

**Specification features**  
Surface treated aluminum housing  
Suitable for dry or damp locations  
Weight: 2lbs 0,89kg

**Dimensions**  
Height: 43mm = 1"-11/16  
Depth: 126mm = 5"  
Length: 126mm = 5"

PROJECT INFO

Date \_\_\_\_\_

Client \_\_\_\_\_

Project Name \_\_\_\_\_

Type/Quantity \_\_\_\_\_