



CURL

Expressing complex design, Curl is a device with well-balanced proportions and a natural sculptural presence. The form of the base allows the fixture to assume different positions. Switch is located at the center of the base with a dimmer function (10 to 100%) and beam angle of 110°.

Design by: Sebastian Bergne, 2012

DETAILS.

BODY MATERIAL: DIE-CAST ALUMINUM

REFLECTOR FINISH: OPAQUE TECHNOLOGY INJECTION MOLDED

FINISH: WHITE WITH MIRROR STRUCTURE

SIZE: 8.3" W X 9" D X 10" H

8W LED 3000K 241 LM

90 CRI, DIMMABLE 120V

CURL



IIPL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634


CURL



D76

Curl

D76N1
dimmer on board



Light source	D76N1	LED 8W* 3000K 241lm
Materials	Injection-moulded ABS, die-cast aluminium	
Base finishes	Mirror	
Certification	cULus	

* Power consumption by device

IIPL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634