



## BUBKA

Outdoor pathway lamp with stainless steel stem and adjustable spot - max 2 spot. A perfect tool for guiding people along a path or emphasizing the hierarchies of spaces and functions. Bollard version available.

Design by: Daniele Sprega, 2014

### DETAILS.

**FINISH: BLACK / BLACK CABLE**

**SHADE SIZE: Ø4.7" X 2.9" H**

**STEM: 118" H; Ø5.9" BASE**

**MAX 700MA DC - 8.4W LED 3000K 639LM**

**\*AVAILABLE IN 2700K.**






**CABLE LENGTH: 23FT (7M)**

**LED DRIVER NOT INCLUDED - 100-240V INPUT 21W**

**NOT DIMMABLE**

**RATED IP65 - UL LISTED**

BUBKA



IIPL





PLUGLIGHTING.COM  
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE  
STE 108 LOS ANGELES 90038

P. 323 467 5635  
F. 323 467 5634



BUBKA



II P L

PLUGLIGHTING.COM  
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE  
STE 108 LOS ANGELES 90038

P. 323 467 5635  
F. 323 467 5634






The sizes are expressed in millimeters / inches.

DESIGN DANIELE SPREGA - 2014  
OUTDOOR LAMP - METAL - AISI 316L STAINLESS STEEL



IP65



|                |                  |   |
|----------------|------------------|---|
| 1A360003.27.20 | STANDARD - 2700K | MAX 700 mA DC - 8,4 W LED<br>2700K - 639 lm - CRI > 90 / 3000K - 639 lm - CRI > 90  |
| 1A360003.30.20 | STANDARD - 3000K | AISI 316L STAINLESS STEEL STEAM - BLACK CABLE 7 m / 275,59" - ADJUSTABLE<br>OPTIONAL INSTALLATION KIT NOT INCLUDED<br>DRIVER NOT INCLUDED |
|                |                  |   |
|                |                  |   |

COMPULSORY INSTALLATION KIT

|           |          |   |
|-----------|----------|---|
| 1Z1120100 | STANDARD | DRIVER<br>INPUT 100-240 V - 50/60 Hz - OUTPUT 700 mA DC - 21 W - IP67<br>NOT DIMMABLE |
|           |          |   |

OPTIONAL INSTALLATION KITS

|                |          |  |
|----------------|----------|--|
| 1A362000.00.00 | STANDARD | INSTALLATION ANCHORING BOLT<br>CUT-OUT Ø 250 mm / 9.84" - MINIMUM SPACE FOR MOUNTING 350 mm / 13.77" |
|                |          |  |

OPTIONAL ACCESSORIES

|                 |                    |  |
|-----------------|--------------------|--|
| 1A3610403.27.20 | MATT BLACK - 2700K | ADDITIONAL LED HEAD<br>MAX 700 mA DC - 8,4 W LED                             |
| 1A3610403.30.20 | MATT BLACK - 3000K | 2700K - 639 lm - CRI > 90 / 3000K - 639 lm - CRI > 90<br>DRIVER NOT INCLUDED |
|                 |                    |  |

# BUBKA BOLLARD





The sizes are expressed in millimeters / inches.

DESIGN DANIELE SPREGA - 2021  
OUTDOOR LAMP - METAL - AISI 316L STAINLESS STEEL



IP65

BUBKA BOLLARD



|                 |                  |  |
|-----------------|------------------|--|
| 1A1440003.27.20 | STANDARD - 2700K | MAX 700 mA DC - 8.4 W LED<br>2700K - 350 lm - CRI > 90 / 3000K - 350 lm - CRI > 90   |
| 1A1440003.30.20 | STANDARD - 3000K | AISI 316L STAINLESS STEEL STEM - BLACK CABLE 9 m / 354.33" - ADJUSTABLE<br>OPTIONAL INSTALLATION KIT NOT INCLUDED<br>DRIVER NOT INCLUDED |
|                 |                  |  |

|                             |          |  |
|-----------------------------|----------|--|
| COMPULSORY INSTALLATION KIT |          |  |
| 1Z1120130                   | STANDARD | DRIVER<br>INPUT 100-240 V - 60 Hz - OUTPUT 350 mA DC - 16 W - IP67<br>NOT DIMMABLE |

|                            |          |  |
|----------------------------|----------|--|
| OPTIONAL INSTALLATION KITS |          |  |
| 1A3620000.00.00            | STANDARD | INSTALLATION ANCHORING BOLT<br>CUT-OUT Ø 250 mm / 9.84" - MINIMUM SPACE FOR MOUNTING 350 mm / 13.77" |

|                      |                    |  |
|----------------------|--------------------|--|
| OPTIONAL ACCESSORIES |                    |  |
| 1A3610403.27.20      | MATT BLACK - 2700K | ADDITIONAL LED HEAD<br>MAX 700 mA DC - 8.4 W LED                             |
| 1A3610403.30.20      | MATT BLACK - 3000K | 2700K - 350 lm - CRI > 90 / 3000K - 350 lm - CRI > 90<br>DRIVER NOT INCLUDED |

II P L

PLUGLIGHTING.COM  
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE  
STE 108 LOS ANGELES 90038

P. 323 467 5635  
F. 323 467 5634