

SPOT

Wall spot adjustable, designed with the option to be powered with Endless system.

DETAILS.

FINISH:

MATT WHITE

MATT BLACK

SIZE: Ø4.7" SHADE; 4.1" W X 6.4" H BASE

MAX 17W LED 120V

2700K OR 3000K


***LED MODULE NOT INCLUDED.**

BEAM SPREAD AVAILABLE:

22° OR 36°

DIMMABLE

SPOT



II PL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634

SPOT





The sizes are expressed in millimeters / inches.

DESIGN 2001
WALL AND CEILING LAMP - METAL

SPOT

IE ENDLESS SYSTEM VERSION AVAILABLE SEE PAGE 237-239



1A1080303.00.04	MATT WHITE - PUSH	120 V - 60 Hz - MAX 17 W LED ADJUSTABLE LED MODULE NOT INCLUDED OPTIONAL LED MODULE ACCESSORIES NOT INCLUDED
1A1080403.00.04	MATT BLACK - PUSH	

COMPULSORY ACCESSORIES

1A4700003.27.20	LED MODULE 15° SPOT	13,5 W LED (400 mA) - 15° - 2700K - 1068 lm - CRI 90 - DIMMABLE
1A4700003.30.20	LED MODULE 15° SPOT	13,5 W LED (400 mA) - 15° - 3000K - 1091 lm - CRI 90 - DIMMABLE
1A3890003.27.20	LED MODULE 22° SPOT	13,5 W LED (400 mA) - 22° - 2700K - 1487 lm - CRI 90 - DIMMABLE
1A3890003.30.20	LED MODULE 22° SPOT	13,5 W LED (400 mA) - 22° - 3000K - 1556 lm - CRI 90 - DIMMABLE
1A3900003.27.20	LED MODULE 36° SPOT	13,5 W LED (400 mA) - 36° - 2700K - 1446 lm - CRI 90 - DIMMABLE
1A3900003.30.20	LED MODULE 36° SPOT	13,5 W LED (400 mA) - 36° - 3000K - 1512 lm - CRI 90 - DIMMABLE

OPTIONAL ACCESSORIES

1A1210000.00.00	STANDARD	DARKLIGHT FOR LED MODULE
-----------------	----------	--------------------------

II PL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634