



PUNTO PL

Adjustable, metal ceiling lamp with architectural element.
Double version available, Punto 2 PL.

DETAILS.

FINISH:

MATT WHITE

MATT WHITE / BLACK BICOLOUR

SIZE: 5.8" W X 5.8" D X 6.3" H

MAX 17W LED 120V



2700K OR 3000K

*LED SPOT NOT INCLUDED.

SPOT AVAILABLE - 13.5W LED, DIMMABLE:

22° OR 36°

PUNTO PL




II P L

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634

PUNTO PL



The sizes are expressed in millimeters / inches.

DESIGN 2004
CEILING LAMP - METAL

PUNTO PL



1A1110903.00.04	MATT WHITE - PUSH	120 V - 60 Hz - MAX 17 W LED ADJUSTABLE LED MODULE NOT INCLUDED OPTIONAL LED MODULE ACCESSORIES NOT INCLUDED
1A1113403.00.04	MATT WHITE - BLACK BICOLOUR - PUSH	

COMPULSORY ACCESSORIES

1A470003.27.20	LED MODULE 15° SPOT	13,5 W LED (400 mA) - 15° - 2700K - 1318 lm - CRI 90 - DIMMABLE
1A470003.30.20	LED MODULE 15° SPOT	13,5 W LED (400 mA) - 15° - 3000K - 1345 lm - CRI 90 - DIMMABLE
1A389003.27.20	LED MODULE 22° SPOT	13,5 W LED (400 mA) - 22° - 2700K - 1487 lm - CRI 90 - DIMMABLE
1A389003.30.20	LED MODULE 22° SPOT	13,5 W LED (400 mA) - 22° - 3000K - 1556 lm - CRI 90 - DIMMABLE
1A390003.27.20	LED MODULE 36° SPOT	13,5 W LED (400 mA) - 36° - 2700K - 1446 lm - CRI 90 - DIMMABLE
1A390003.30.20	LED MODULE 36° SPOT	13,5 W LED (400 mA) - 36° - 3000K - 1512 lm - CRI 90 - DIMMABLE

OPTIONAL ACCESSORIES

1A121000.00.00	STANDARD	DARKLIGHT FOR LED MODULE
----------------	----------	--------------------------


II PL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634


PUNTO 2 PL



The sizes are expressed in millimeters / inches.

DESIGN 2004
CEILING LAMP - METAL

PUNTO 2 PL



1A1120303.00.04	MATT WHITE - PUSH	120 V - 60 Hz - MAX 2 x 17 W LED ADJUSTABLE LED MODULES NOT INCLUDED OPTIONAL LED MODULE ACCESSORIES
1A1123403.00.04	MATT WHITE - BLACK BICOLOUR - PUSH	

COMPULSORY ACCESSORIES

1A470003.27.20	LED MODULE 15° SPOT	13,5 W LED (400 mA) - 15° - 2700K - 1318 lm - CRI 90 - DIMMABLE
1A470003.30.20	LED MODULE 15° SPOT	13,5 W LED (400 mA) - 15° - 3000K - 1345 lm - CRI 90 - DIMMABLE
1A389003.27.20	LED MODULE 22° SPOT	13,5 W LED (400 mA) - 22° - 2700K - 1487 lm - CRI 90 - DIMMABLE
1A389003.30.20	LED MODULE 22° SPOT	13,5 W LED (400 mA) - 22° - 3000K - 1556 lm - CRI 90 - DIMMABLE
1A390003.27.20	LED MODULE 36° SPOT	13,5 W LED (400 mA) - 36° - 2700K - 1446 lm - CRI 90 - DIMMABLE
1A390003.30.20	LED MODULE 36° SPOT	13,5 W LED (400 mA) - 36° - 3000K - 1512 lm - CRI 90 - DIMMABLE

OPTIONAL ACCESSORIES

1A1210000.00.00	STANDARD	DARKLIGHT FOR LED MODULE
-----------------	----------	--------------------------

II PL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634