



ENDLESS

An adhesive strip and conductive strip that can be applied to any kind of surface - walls, ceilings, stairs, furniture, windows, glass. This way current can run anywhere, allowing you to connect more than one luminaire at a time. Compatible fixtures include Mira, Dot P, Spot, Reflex, Miss, and Cathode.

DETAILS.

ADHESIVE FINISH: MATT WHITE OR BLACK

ENDLESS: MAX 150W, MAX 48V DC

LENGTH: 16.4FT (5M) OR 32.8FT (10M)





WIDTH: 0.3"

PLUG KIT OR REMOTE KIT AVAILABLE:

DIMMABLE OR NON-DIMMABLE POWER SUPPLY AVAILABLE - SURFACE (WALL/CEILING) OR REMOTE.

*CASAMBI OPTIONS AVAILABLE.

ENDLESS







II PL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634

ENDLESS




IIPL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634

ENDLESS



IIPL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634

ENDLESS


ENDLESS

Davide Groppi / 2018


Davide Groppi / 2018

ENDLESS

ENDLESS ON/OFF (Max 48V DC - Max 150W - Max 4A)



ENDLESS dimmable (Max 48V DC - Max 150W - Max 4A)



IIPL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038


P. 323 467 5635
F. 323 467 5634

ENDLESS

ENDLESS

Davide Groppi / 2018


ENDLESS CASAMBI (Max 48V DC - Max 150W - Max 4A)



Davide Groppi / 2018

ENDLESS

ENDLESS conductive tape used with voltage/current other than 48V DC




IIPL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634

ENDLESS



Davide Groppi / 2018

ENDLESS

Systems / Direct-Indirect-Diffuse / Indoor

Material Metal
Finish .00 Standard

Note System consisting of a conductive adhesive tape to apply to surfaces.
 Possibility to connect several lamps (Max 48V DC - Max 150W - Max 4A).

Compulsory accessories

Installation kits



Strip Endless - 196.85"		Not included
Matt White	Output 48V - Max 150W - Max 4A	1A3470300.00.00
Matt Black	Output 48V - Max 150W - Max 4A	1A3470400.00.00



Strip Endless - 393.70"		Not included
Matt White	Output 48V - Max 150W - Max 4A	1A0050300.00.00
Matt Black	Output 48V - Max 150W - Max 4A	1A0050400.00.00



Fixing rough walls kit		Not included
Length 98.42"		1A0370000.00.00



Terminal box		Not included
Matt White	2 Terminals included	1A3480300.00.00
Matt Black	2 Terminals included	1A3480400.00.00



Power base		Not included
Matt White		1A0030300.00.00
Matt Black		1A0030400.00.00



Power base for Endless		Not included
Matt White		1A0810303.00.00
Matt Black		1A0810403.00.00



Terminals		Not included
2 Pieces		1A3490000.00.00

The sizes are expressed in inches.


ENDLESS

ENDLESS


Davide Groppi / 2018

Compulsory accessories


Drivers for ENDLESS ON/OFF system and CASAMBI




Driver with plug		Not included
Matt White	Input 120V - 60Hz Output 48V - 60W - Max 1,25A IP20 - ON/OFF	1A1330303.00.00
Matt Black	Input 120V - 60Hz Output 48V - 60W - Max 1,25A IP20 - ON/OFF	1A1330403.00.00



Wall/ceiling/remote driver		Not included
Matt White	Input 120V - 60Hz Output 48V - 60W - Max 1,25A IP20 - ON/OFF	1A2450303.00.00
Matt Black	Input 120V - 60Hz Output 48V - 60W - Max 1,25A IP20 - ON/OFF	1A2450403.00.00



Driver with plug		Not included
Matt White	Input 120V - 60Hz Output 48V - 90W - Max 1,875A IP20 - ON/OFF	1A0260303.00.00
Matt Black	Input 120V - 60Hz Output 48V - 90W - Max 1,875A IP20 - ON/OFF	1A0260403.00.00



Wall/ceiling/remote driver		Not included
Matt White	Input 120V - 60Hz Output 48V - 90W - Max 1,875A IP20 - ON/OFF	1A1020303.00.00
Matt Black	Input 120V - 60Hz Output 48V - 90W - Max 1,875A IP20 - ON/OFF	1A1020403.00.00

The sizes are expressed in inches.

I I P L

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038


P. 323 467 5635
F. 323 467 5634

Davide Groppi / 2018


ENDLESS

Compulsory accessories


Drivers for ENDLESS dimmable system




Driver with plug		Not included
Matt White	Input 120V - 60Hz Output 48V - 60W - Max 1,25A IP20 - Dimmer on board	1A1340303.00.06
Matt Black	Input 120V - 60Hz Output 48V - 60W - Max 1,25A IP20 - Dimmer on board	1A1340403.00.06



Wall/ceiling/remote driver		Not included
Matt White	Input 120V - 60Hz Output 48V - 60W - Max 1,25A IP20 - DALI - PUSH - 1-10V	1A4090303.00.07
Matt Black	Input 120V - 60Hz Output 48V - 60W - Max 1,25A IP20 - DALI - PUSH - 1-10V	1A4090403.00.07



Driver with plug		Not included
Matt White	Input 120V - 60Hz Output 48V - 90W - Max 1,875A IP20 - Dimmer on board	1A1800303.00.06
Matt Black	Input 120V - 60Hz Output 48V - 90W - Max 1,875A IP20 - Dimmer on board	1A1800403.00.06



Wall/ceiling driver		Not included
Matt White	Input 120V - 50/60Hz Output 48V - 90W - Max 1,875A IP20 - DALI - PUSH - 1-10V	1A1810303.00.07
Matt Black	Input 120V - 50/60Hz Output 48V - 90W - Max 1,875A IP20 - DALI - PUSH - 1-10V	1A1810403.00.07

ENDLESS




Davide Groppi / 2018


ENDLESS

Compulsory accessories


Remote drivers for ENDLESS



Driver			Not included
100-240V	48V/60W/IP67/ON/OFF	1Z1120640	



Driver			Not included
100-240V	48V/90W/IP20/1-10V	1Z1120290	



Controller			Not included
Matt Black	DALI - PUSH - 0/1-10V - IP20	1Z2170020	

The sizes are expressed in inches.

IIPL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038


P. 323 467 5635
F. 323 467 5634

ENDLESS



Daide Groppi / 2018

ENDLESS



Examples of installation with the three different power supply modes

II PL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM


5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634


ENDLESS

ENDLESS

Davide Groppi / 2018




Example of combined installation between various devices with remote driver



Example of combined installation between various devices with wall/ceiling driver

Davide Groppi / 2018

ENDLESS



Example of combined installation between various devices with driver with plug

II PL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM


5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634


ENDLESS

ENDLESS

Davide Groppi / 2018



CATHODE: example of installation



MISS: example of installation



IIPL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM


5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634


ENDLESS

ENDLESS


Davide Groppi / 2018



REFLEX: example of installation with remote driver



REFLEX: example of installation with wall/ceiling driver



REFLEX: example of installation with driver with plug




IIPL


PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038


P. 323 467 5635
F. 323 467 5634



OHM: example of installation




OHM: example of installation



UTOPIA: example of installation

ENDLESS



IIPL

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM

5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634