

BUIO

Recessed, floor uplight with the idea that a small black dot reveals it's function only when necessary. Trim or Trimless available. Spot version available with optional accessories - wall, ceiling, or spike.

Design by: Maurici Gines, 2023

DETAILS.

FINISH: MATT BLACK

GLASS FINISH: BLACK OR TRANSPARENT

SIZE (TRIM): Ø1.8" X 4.25" H

SIZE (TRIMLESS): Ø1.4" X 4.25" H

24V DC - 4.5W LED CRI 90

***AVAILABLE IN 2700K OR 3000K.**

BEAM SPREADS:







13°, 25°, 32°, OR ELLIPTICAL

RATED IP65/67

REMOTE LED DRIVER REQUIRED - NOT DIMMABLE

***OPTIONAL INSTALLATION ACCESSORIES AVAILABLE.**

BUIO



II P L

PLUGLIGHTING.COM
INFO@PLUGLIGHTING.COM


5665 MELROSE AVENUE
STE 108 LOS ANGELES 90038

P. 323 467 5635
F. 323 467 5634

BUIO

BUIO

Maurici Ginés / 2023




BUIO TRIM - 13°

Black filter
6,4W
24V DC
2700K - 93lm / 3000K - 93lm
CRI >90
Beam 13°
UGR <19

Driver not included
IP65/IP67

Matt Black - 2700K	1A5120403.27.20
Matt Black - 3000K	1A5120403.30.20




BUIO TRIM - 25°

Black filter
6,4W
24V DC
2700K - 158lm / 3000K - 158lm
CRI >90
Beam 25°
UGR <19

Driver not included
IP65/IP67

Matt Black - 2700K	1A5140403.27.20
Matt Black - 3000K	1A5140403.30.20



BUIO TRIM - 32°


Black filter
6,4W
24V DC
2700K - 144lm / 3000K - 144lm
CRI >90
Beam 32°
UGR <19

Driver not included
IP65/IP67

Matt Black - 2700K	1A5130403.27.20
Matt Black - 3000K	1A5130403.30.20

Maurici Ginés / 2023

BUIO




BUIO TRIM ELLIPTICAL

Black filter
6,4W
24V DC
2700K - 91lm / 3000K - 91lm
CRI >90
UGR <19

Driver not included
IP65/IP67

Matt Black - 2700K	1A5150403.27.20
Matt Black - 3000K	1A5150403.30.20




BUIO TRIM - 13°

Transparent filter
6,4W
24V DC
2700K - 247lm / 3000K - 247lm
CRI >90
Beam 13°
UGR <19

Driver not included
IP65/IP67

Matt Black - 2700K	1A5160403.27.20
Matt Black - 3000K	1A5160403.30.20



BUIO TRIM - 25°

Transparent filter
6,4W
24V DC
2700K - 257lm / 3000K - 257lm
CRI >90
Beam 25°
UGR <19

Driver not included
IP65/IP67


Matt Black - 2700K	1A5180403.27.20
Matt Black - 3000K	1A5180403.30.20


The sizes are expressed in inches.

BUIO


BUIO

Maurici Ginés / 2023




BUIO TRIM - 32°
 Transparent filter
 6,4W
 24V DC
 2700K - 297lm / 3000K - 297lm
 CRI >90
 Beam 32°
 UGR <19
 Driver not included



Matt Black - 2700K	1A5170403.27.20
Matt Black - 3000K	1A5170403.30.20



BUIO TRIM ELLIPTICAL
 Transparent filter
 6,4W
 24V DC
 2700K - 233lm / 3000K - 233lm
 CRI >90
 UGR <19
 Driver not included


Matt Black - 2700K	1A5190403.27.20
Matt Black - 3000K	1A5190403.30.20





BUIO TRIMLESS - 13°
 Black filter
 6,4W
 24V DC
 2700K - 93lm / 3000K - 93lm
 CRI >90
 Beam 13°
 UGR <19
 Driver not included


Matt Black - 2700K	1A5200403.27.20
Matt Black - 3000K	1A5200403.30.20


Maurici Ginés / 2023

BUIO




BUIO TRIMLESS - 25°
 Black filter
 6,4W
 24V DC
 2700K - 158lm / 3000K - 158lm
 CRI >90
 Beam 25°
 UGR <19
 Driver not included



Matt Black - 2700K	1A5220403.27.20
Matt Black - 3000K	1A5220403.30.20



BUIO TRIMLESS - 32°
 Black filter
 6,4W
 24V DC
 2700K - 144lm / 3000K - 144lm
 CRI >90
 Beam 32°
 UGR <19
 Driver not included


Matt Black - 2700K	1A5210403.27.20
Matt Black - 3000K	1A5210403.30.20



BUIO TRIMLESS ELLIPTICAL
 Black filter
 6,4W
 24V DC
 2700K - 91lm / 3000K - 91lm
 CRI >90
 UGR <19
 Driver not included



Matt Black - 2700K	1A5230403.27.20
Matt Black - 3000K	1A5230403.30.20


The sizes are expressed in inches.

BUIO


BUIO


Maurici Ginés / 2023



BUIO TRIMLESS - 13°
 Transparent filter
 6,4W
 24V DC
 2700K - 247lm / 3000K - 247lm
 CRI >90
 Beam 13°
 UGR <19
 Driver not included



Matt Black - 2700K	1A5240403.27.20
Matt Black - 3000K	1A5240403.30.20



BUIO TRIMLESS - 25°
 Transparent filter
 6,4W
 24V DC
 2700K - 257lm / 3000K - 257lm
 CRI >90
 Beam 25°
 UGR <19
 Driver not included


Matt Black - 2700K	1A5260403.27.20
Matt Black - 3000K	1A5260403.30.20



BUIO TRIMLESS - 32°
 Transparent filter
 6,4W
 24V DC
 2700K - 297lm / 3000K - 297lm
 CRI >90
 Beam 32°
 UGR <19
 Driver not included


Matt Black - 2700K	1A5250403.27.20
Matt Black - 3000K	1A5250403.30.20

The sizes are expressed in inches.

IIPL


PLUGLIGHTING.COM
 INFO@PLUGLIGHTING.COM


5665 MELROSE AVENUE
 STE 108 LOS ANGELES 90038

P. 323 467 5635
 F. 323 467 5634

Maurici Ginés / 2023

BUIO



BUIO TRIMLESS ELLIPTICAL
 Transparent filter
 6,4W
 24V DC
 2700K - 233lm / 3000K - 233lm
 CRI >90
 UGR <19
 Driver not included


Matt Black - 2700K	1A5270403.27.20
Matt Black - 3000K	1A5270403.30.20


Compulsory accessories

Installation kits



Installation box		Not included
Standard	For in-ground installation	1A5280000.00.00

Drivers



Driver		Not included
110-240V	24V/25W/IP67/ON/OFF	1Z1120620