

## ASINTOTO

The projected reduction of Infinito system, inspired by the evocation of a black hole from which light does not escape. Optional ceiling rose accessory available.

**DETAILS.**

**FINISH: GRAVITY BLACK**

**SIZE: Ø15.7" X 11.8" H**



**500MA DC - 18W LED 3000K 2680LM**

**\*AVAILABLE IN 2700K.**

**REMOTE LED DRIVER REQUIRED:**

**PUSH / 1-10V DIMMABLE**

ASINTOTO



II P L

PLUGLIGHTING.COM  
INFO@PLUGLIGHTING.COM


5665 MELROSE AVENUE  
STE 108 LOS ANGELES 90038

P. 323 467 5635  
F. 323 467 5634

# ASINTOTO

## ASINTOTO

Davide Groppi / 2023



### ASINTOTO

18W  
 Max 500mA DC  
 2700K - 1435lm / 3000K - 1481lm  
 CRI >90  
 Driver not included



Gravity Black - 2700K	1A4072703.27.20
Gravity Black - 3000K	1A4072703.30.20

Davide Groppi / 2023

## ASINTOTO

### Optional accessories

#### Other accessories



Magnetic weight		Not included
Matt Black	For sloped installation	1A4710400.00.00

### Compulsory accessories

#### Suspension kits



#### Ceiling rose without driver Not included

Matt White	For electrical cables - 1 Piece	1X0010300.06.00
Matt Black	For electrical cables - 1 Piece	1X0010400.06.00



#### Recessed rose without driver Not included

Matt White	For electrical cables - 1 Piece Plasterboard cut-out Ø 1.73" Minimum space for mounting 2.76" For 0.49" plasterboard	1X0000300.07.00
Matt Black	For electrical cables - 1 Piece Plasterboard cut-out Ø 1.73" Minimum space for mounting 2.76" For 0.49" plasterboard	1X0000400.07.00



#### Wall adapter plate Not included

Matt White	1X0050300.01.00
------------	-----------------

#### Drivers




#### Driver Not included

220-240V(100-127V)	500mA/26,5W(26,5W)/IP20/DALI - PUSH - 1-10V	1Z0240530.500
--------------------	--	---------------

### Optional accessories

#### Installation kits



#### Circular plasterboard panel 0.49" Not included

Standard	Cut-out 15.75" x 15.75" Minimum space for mounting 4.53"	1A4520000.00.00
----------	---	-----------------

The sizes are expressed in inches.